



C-6272

CERAMIC FINISHES:



White .01

TRIM FINISHES:

Polished
Chrome
.500

PRODUCT FEATURES

- One-piece compact-elongated vitreous china toilet with Rimless bowl
- High-efficiency 1.28/0.9gpf dual flush
- Two-way flush lever - clockwise for full flush, counterclockwise for water-saving low volume flush
- Fully skirted trapway with easy floor bolt access
- 12" rough-in
- ADA-compliant 16-1/2" bowl rim (chair-height)
- Includes Silent Close, Quick-Release Duroplast seat and solid metal tank lever in Polished Chrome finish
- Antimicrobial MicroGlaze™ stain-resistant finish
- Fully glazed 2-1/8" internal trapway
- Oversized 3" flush valve
- Limited lifetime warranty on ceramic




MODEL NUMBERS

DESCRIPTION	FINISH/ LEVER PLACEMENT	MODEL NO.
One-Piece Toilet, 1.28/0.9gpf Compact-Elongated Includes Silent Close, Quick-Release Seat & Tank Lever in Polished Chrome Finish	White, LH <i>Right-hand configuration available. MOQ and lead times vary. Contact sales@icerausa.com for details.</i>	C-6272.01

HARDWARE & REPLACEMENT PARTS

Tank Lever*	F-77.xxx (standard: Polished Chrome)	Seat Caps*	SC-236.01
Fill Valve	VL-5801	Floor Bolt Caps	MC-300.01
Flush Valve	VH-5701	Seat	S-230.01 (DuroPlast)
Flapper	NA	Seat Bolt Set	SB-236.01
Tank Lid	N-6270.01		

SPECIFICATIONS



IMPORTANT: Dimensions are nominal and may vary within the range of tolerance per NSI Standard A112.19.2. These measurements are subject to change. No responsibility is assumed for use of superseded or voided pages.

Codes/Standards:

- Meets or exceeds ASME A112.19.2-2018/CSA B-45.1-18
- Certifications: IAPMO, State of Mass., CEC and others
- Code compliance: cUPC, IPC, NPC Canada and others
- ADA compliant (when installed with trip lever located on the approach side)



*Shown here with:
F-77 Matte Black Lever (sold separately)*



C-3170 Bowl, T-3175 Tank

CERAMIC FINISHES:



White .01

TRIM FINISHES:



**Polished
Chrome
.500**



**Polished
Nickel
.502**



**Satin
Nickel
.503**



**Satin
Brass
.514**



**White
Enamel
.01**



**Matte
Black
.05**

PRODUCT FEATURES

- Two-piece vitreous china compact-elongated toilet with Rimless bowl
- High-efficiency 1.28/0.9gpf dual flush
- Fully skirted trapway with easy floor bolt access
- 12" rough-in
- ADA-compliant 16-1/2" bowl rim (chair-height)
- Includes Silent Close, Quick-Release seat and metal tank lever in Polished Chrome finish
- Antimicrobial MicroGlaze™ finish
- Fully glazed 2-1/8" internal trapway
- Oversized 3" flush valve
- Limited lifetime warranty on ceramic



MODEL NUMBERS


DESCRIPTION	FINISH/ LEVER PLACEMENT	MODEL NO.
Two-Piece Toilet, 1.28/0.9gpf Compact-Elongated Includes Silent Close, Quick-Release Seat & Tank Lever in Polished Chrome Finish	Bowl, White Tank, White	C-3170.01 T-3175.01

HARDWARE & REPLACEMENT PARTS

Tank Lever*	F-77.xxx (standard: Polished Chrome)	Seat Caps*	TBD
Fill Valve	VL-5801	Floor Bolt Caps	MC-300.01
Flush Valve	VH-5702	Seat	S-230.01 (DuroPlast)
Flapper	NA	Seat Bolt Set	TBD
Tank Lid	N-3170.01		

*See opposite page for optional lever / cap finishes. Seat caps available only in .01 (plastic), .500, .502, .503 finishes.

SPECIFICATIONS



IMPORTANT: Dimensions are nominal and may vary within the range of tolerance per NSI Standard A112.19.2. These measurements are subject to change. No responsibility is assumed for use of superseded or voided pages.

Codes/Standards:

- Meets or exceeds ASME A112.19.2-2018/CSA B-45.1-18
- Certifications: IAPMO, State of Mass., CEC and others
- Code compliance: cUPC, IPC, NPC Canada and others
- ADA compliant (when installed with trip lever located on the approach side)

ICERA

MALIBU DF



C-6252

CERAMIC FINISHES:



White .01

TRIM FINISHES:



Polished
Chrome
.500



Polished
Nickel
.502



Satin
Nickel
.503



Satin
Brass
.514



White
Enamel
.01



Matte
Black
.05

PRODUCT FEATURES

- One-piece compact-elongated vitreous china toilet with Rimless bowl
- High-efficiency 1.28/0.9gpf dual flush
- Fully skirted trapway with easy floor bolt access
- 12" rough-in
- ADA-compliant 16-1/2" bowl rim (chair-height)
- Includes Silent Close, Quick-Release Duroplast seat and metal tank lever in Polished Chrome finish
- Antimicrobial MicroGlaze™ stain-resistant finish
- Fully glazed 2-1/8" internal trapway
- Oversized 3" flush valve
- Limited lifetime warranty on ceramic



MODEL NUMBERS


DESCRIPTION	FINISH/ LEVER PLACEMENT	MODEL NO.
One-Piece Toilet, 1.28/0.9gpf Compact-Elongated Includes Silent Close, Quick-Release Seat & Tank Lever in Polished Chrome Finish	White, LH <i>Right-hand configuration available. MOQ and lead times vary. Contact sales@icerausa.com for details.</i>	C-6252.01

HARDWARE & REPLACEMENT PARTS

Tank Lever*	F-77.xxx (standard: Polished Chrome)	Seat Caps*	TBD
Fill Valve	VL-5801	Floor Bolt Caps	MC-300.01
Flush Valve	VH-5701	Seat	S-236.01 (Polypropylene)
Flapper	NA	Seat Bolt Set	TBD
Tank Lid	N-6250.01		

*See opposite page for optional lever / cap finishes. Seat caps available only in .01 (plastic), .500, .502, .503 finishes.

SPECIFICATIONS



IMPORTANT: Dimensions are nominal and may vary within the range of tolerance per NSI Standard A112.19.2. These measurements are subject to change. No responsibility is assumed for use of superseded or voided pages.

Codes/Standards:

- Meets or exceeds ASME A112.19.2-2018/CSA B-45.1-18
- Certifications: IAPMO, State of Mass., CEC and others
- Code compliance: cUPC, IPC, NPC Canada and others
- ADA compliant (when installed with trip lever located on the approach side)



C-3250 / C-3255 Bowl, T-3252 Tank

CERAMIC FINISHES:



White .01

TRIM FINISHES:



Polished
Chrome
.500



Polished
Nickel
.502



Satin
Nickel
.503



Satin
Brass
.514



White
Enamel
.01



Matte
Black
.05

PRODUCT FEATURES

- Two-piece vitreous china compact-elongated toilet with Rimless bowl
- High-efficiency 1.28/0.9gpf dual flush
- Fully skirted trapway with easy floor bolt access
- 12" and 10" rough-in bowl available
- ADA-compliant 16-1/2" bowl rim (chair-height)
- Includes Silent Close, Quick-Release seat and metal tank lever in Polished Chrome finish
- Antimicrobial MicroGlaze™ finish
- Fully glazed 2-1/8" internal trapway
- Oversized 3" flush valve
- Limited lifetime warranty on ceramic



MODEL NUMBERS


DESCRIPTION	FINISH/ LEVER PLACEMENT	MODEL NO.
Two-Piece Toilet, 1.28/0.9gpf Compact-Elongated Includes Silent Close, Quick-Release Seat & Tank Lever in Polished Chrome Finish	12" Rough-In Bowl, White 10" Rough-In Bowl, White Tank, White	C-3250.01 C-3255.01 T-3252.01
	<i>Right-hand configuration available. MOQ and lead times vary. Contact sales@icerausa.com for details.</i>	

HARDWARE & REPLACEMENT PARTS

Tank Lever*	F-77.xxx (standard: Polished Chrome)	Seat Caps*	TBD
Fill Valve	VL-5801	Floor Bolt Caps	MC-300.01
Flush Valve	VH-5702	Seat	S-236.01 (Polypropylene)
Flapper	NA	Seat Bolt Set	TBD
Tank Lid	N-3250.01		

*See opposite page for optional lever / cap finishes. Seat caps available only in .01 (plastic), .500, .502, .503 finishes.

SPECIFICATIONS



IMPORTANT: Dimensions are nominal and may vary within the range of tolerance per NSI Standard A112.19.2. These measurements are subject to change. No responsibility is assumed for use of superseded or voided pages.

Codes/Standards:

- Meets or exceeds ASME A112.19.2-2018/CSA B-45.1-18
- Certifications: IAPMO, State of Mass., CEC and others
- Code compliance: cUPC, IPC, NPC Canada and others
- ADA compliant (when installed with trip lever located on the approach side)



Shown here with:
F-77 Satin Brass Lever (sold separately)

C-6692

CERAMIC FINISHES:



White .01

TRIM FINISHES:



**Polished
Chrome
.500**



**Polished
Nickel
.502**



**Satin
Nickel
.503**



**Satin
Brass
.514**



**White
Enamel
.01**



**Matte
Black
.05**

PRODUCT FEATURES

- One-piece compact-elongated vitreous china toilet with Rimless bowl
- High-efficiency 1.28/0.9gpf dual flush
- Fully skirted trapway with easy floor bolt access
- 12" rough-in
- ADA-compliant 16-1/2" bowl rim (chair-height)
- Includes Silent Close, Quick-Release Duroplast seat and metal tank lever in Polished Chrome finish
- Antimicrobial MicroGlaze™ stain-resistant finish
- Fully glazed 2-1/8" internal trapway
- Oversized 3" flush valve
- Limited lifetime warranty on ceramic



MODEL NUMBERS


DESCRIPTION	FINISH/ LEVER PLACEMENT	MODEL NO.
One-Piece Toilet, 1.28/0.9gpf Compact-Elongated Includes Silent Close, Quick-Release Seat & Tank Lever in Polished Chrome Finish	White, LH <i>Right-hand configuration available. MOQ and lead times vary. Contact sales@icerausa.com for details.</i>	C-6692.01

HARDWARE & REPLACEMENT PARTS

Tank Lever*	F-77.xxx (standard: Polished Chrome)	Seat Caps*	TBD
Fill Valve	VL-5801	Floor Bolt Caps	MC-300.01
Flush Valve	VH-5701	Seat	TBD
Flapper	NA	Seat Bolt Set	TBD
Tank Lid	N-6690.01		

*See opposite page for optional lever / cap finishes. Seat caps available only in .01 (plastic), .500, .502, .503 finishes.

SPECIFICATIONS



IMPORTANT: Dimensions are nominal and may vary within the range of tolerance per NSI Standard A112.19.2. These measurements are subject to change. No responsibility is assumed for use of superseded or voided pages.

Codes/Standards:

- Meets or exceeds ASME A112.19.2-2018/CSA B-45.1-18
- Certifications: IAPMO, State of Mass., CEC and others
- Code compliance: cUPC, IPC, NPC Canada and others
- ADA compliant (when installed with trip lever located on the approach side)



C-3690 Bowl, T-3692 Tank

CERAMIC FINISHES:



White .01

TRIM FINISHES:



Polished
Chrome
.500



Polished
Nickel
.502



Satin
Nickel
.503



Satin
Brass
.514



White
Enamel
.01



Matte
Black
.05

PRODUCT FEATURES

- Two-piece vitreous china compact-elongated toilet with Rimless bowl
- High-efficiency 1.28/0.9gpf dual flush
- Fully skirted trapway with easy floor bolt access
- 12" rough-in
- ADA-compliant 16-1/2" bowl rim (chair-height)
- Includes Silent Close, Quick-Release seat and metal tank lever in Polished Chrome finish
- Antimicrobial MicroGlaze™ finish
- Fully glazed 2-1/8" internal trapway
- Oversized 3" flush valve
- Limited lifetime warranty on ceramic



MODEL NUMBERS


DESCRIPTION	FINISH/ LEVER PLACEMENT	MODEL NO.
Two-Piece Toilet, 1.28/0.9gpf Compact-Elongated Reversible Tank (can be installed with LH or RH lever) Includes Silent Close, Quick-Release Seat & Tank Lever in Polished Chrome Finish	Bowl, White Tank, White, Reversible	C-3690.01 T-3692.01

HARDWARE & REPLACEMENT PARTS

Tank Lever*	F-77.xxx (standard: Polished Chrome)	Seat Caps*	TBD
Fill Valve	VL-5801	Floor Bolt Caps	MC-300.01
Flush Valve	VH-5702	Seat	TBD
Flapper	NA	Seat Bolt Set	TBD
Tank Lid	N-3690.01		

*See opposite page for optional lever / cap finishes. Seat caps available only in .01 (plastic), .500, .502, .503 finishes.

SPECIFICATIONS



IMPORTANT: Dimensions are nominal and may vary within the range of tolerance per NSI Standard A112.19.2. These measurements are subject to change. No responsibility is assumed for use of superseded or voided pages.

Codes/Standards:

- Meets or exceeds ASME A112.19.2-2018/CSA B-45.1-18
- Certifications: IAPMO, State of Mass., CEC and others
- Code compliance: cUPC, IPC, NPC Canada and others
- ADA compliant (when installed with trip lever located on the approach side)